# Data Visualization With Stata

Andy Grogan-Kaylor

2024-05-16

## Table of contents

1 Introduction	1
2 What are Variables?	1
3 Variable Types	2
4 A Data Visualization Strategy	2
5 Data Source	2
6 Variables	3
7 Graphs	3
7.1 One Continuous Thing At A Time (histogram x)	3
7.2 One Categorical Thing At A Time (graph bar, over(x))	4
7.3 Continuous by Continuous (twoway scatter y x)	4
7.4 Categorical by Categorical (graph bar, over(x) over(y))	5
7.5 Continuous by Categorical (graph bar y, over(x))	5
8 Schemes (, scheme())	6
8.1 Continuous by Continuous (twoway scatter y x, scheme())	6
8.2 Continuous by Categorical (graph bar y, over(x) scheme())	8

# **1** Introduction

Stata is a powerful and intuitive data analysis program. Learning how to graph in Stata is an important part of learning how to use Stata. Yet, until recently, the default graphs in Stata have been less than optimal. However, recent versions of Stata have a very professional looking and aesthetically appealing default graph scheme.

This document is an introduction to (a) basic graphing ideas in Stata; and (b) a quick note on the use of schemes to customize your Stata graphs.

### 2 What are Variables?

- By variables, I simply mean the columns of data that you have.
- For our purposes, you may think of variables as synonymous with questionnaire items, or columns of data.

	Column 1	Column 2	Column 3
Row 1			
Row 2			
Row 3			

## **3 Variable Types**

- *Categorical variables* represent unordered categories like *race, ethnicity, neighborhood, religious affiliation,* or *place of residence.*
- Continuous variables represent a continuous scale like *income*, a *mental health scale*, or a *measure of life expectancy*.

# 4 A Data Visualization Strategy

Once we have discerned the type of variable that have, there are two followup questions we may ask before deciding upon a graphing strategy:

- Is our graph about **one thing at a time**?
  - How much of *x* is there?
  - What is the distribution of *x*?
- Is our graph about **two things at a time**?
  - What is the relationship of *x* and *y*?
  - How are *x* and *y* associated?

### **5 Data Source**



Figure 1: Norway Spruce and Larch Forest in Austrian Alps

Image Source: https://ec.europa.eu/jrc/en/research-topic/forestry/qr-tree-project/norway-spruce

The data used in this example are derived from the R package *Functions and Datasets for "Forest Analytics with R"*.

According to the documentation, the source of these data are: "von Guttenberg's Norway spruce (Picea abies [L.] Karst) tree measurement data."



Figure 2: Old Tjikko, a 9,550 Year Old Norway Spruce in Sweden

The documentation goes on to further note that:

"The data are measures from 107 trees. The trees were selected as being of average size from healthy and well stocked stands in the Alps."

```
use "https://github.com/agrogan1/Stata/raw/main/data-visualization-with-Stata/
gutten.dta", clear
```

# **6** Variables

site Growth *quality* class of the tree's habitat. 5 levels.

location Distinguishes tree *location*. 7 levels.

tree An identifier for the tree within location.

age\_base The tree age taken at ground level.

height Tree height, m.

dbh\_cm Tree diameter, cm.

volume Tree volume.

age\_bh Tree age taken at 1.3 m.

tree. ID A factor uniquely identifying the tree.

## 7 Graphs

### 7.1 One Continuous Thing At A Time (histogram x)

histogram height, title("Tree Height")

graph export myhistogram.png, width(1000) replace



Figure 3: Histogram Of Tree Height

### 7.2 One Categorical Thing At A Time (graph bar, over(x))

graph bar, over(location) title("Tree Location")

graph export mybargraph.png, width(1000) replace



Figure 4: Bar Graph Of Tree Location

### 7.3 Continuous by Continuous (twoway scatter y x)

twoway scatter height age\_base, title("Tree Height by Age")

graph export myscatter.png, width(1000) replace



Figure 5: Scatterplot Of Tree Height By Age

### 7.4 Categorical by Categorical (graph bar, over(x) over(y))

graph bar, over(site) over(location) title("Tree Site Growth Quality by Location")

graph export mybargraph2.png, width(1000) replace



Figure 6: Bar Graph Of Tree Site By Location

#### 7.5 Continuous by Categorical (graph bar y, over(x))

graph bar height, over(location) title("Tree Height by Location")

graph export mybargraph3.png, width(1000) replace



Figure 7: Bar Graph Of Mean Tree Height By Location

## 8 Schemes (, scheme(...))

Stata graph schemes can substantially change the look of a graph. Built in graph schemes include slcolor, the new default scheme stcolor, the older default scheme s2color, sj, economist and slrcolor.

lean2 (type findit lean2 in the Stata Command Window) is a user written scheme that is very helpful when preparing graphics for publication. I have written a Stata Michigan graph scheme that can be installed. cleanplots and modern are excellent graph schemes that can be installed directly into Stata from GitHub. burd is another user written graph scheme that *somewhat* replicates the look of ggplot. Asjad Naqvi has written an excellent and comprehensive set of Stata graph schemes.

### 8.1 Continuous by Continuous (twoway scatter y x, scheme(...))

twoway scatter height age\_base, title("Tree Height by Age") scheme(michigan)

graph export myscatterM.png, width(1000) replace



Figure 8: Scatterplot Of Tree Height By Age With Michigan Graph Scheme

twoway scatter height age\_base, title("Tree Height by Age") scheme(lean2)
msymbol(o)





Figure 9: Scatterplot Of Tree Height By Age With lean2 Graph Scheme

twoway scatter height age\_base, title("Tree Height by Age") scheme(slcolor)
graph export myscatterS.png, width(1000) replace



Figure 10: Scatterplot Of Tree Height By Age With s1color Graph Scheme

twoway scatter height age\_base, title("Tree Height by Age") scheme(burd) ///
msymbol(o) graphregion(lcolor(none))

graph export myscatterB.png, width(1000) replace



Figure 11: Scatterplot Of Tree Height By Age With burd Graph Scheme

#### 8.2 Continuous by Categorical (graph bar y, over(x) scheme(...))

Note that in the graph below, I have used the asyvars option to give different colors to the different bars.

```
graph bar height, over(location) asyvars title("Tree Height by Location")
scheme(michigan)
```

```
graph export mybarM.png, width(1000) replace
```



Figure 12: Bar Graph Of Mean Tree Height By Location With Michigan Graph Scheme

graph bar height, over(location) asyvars title("Tree Height by Location")
scheme(lean2)

graph export mybarL.png, width(1000) replace



Figure 13: Bar Graph Of Mean Tree Height By Location With lean2 Graph Scheme

graph bar height, over(location) asyvars title("Tree Height by Location")
scheme(slcolor)

graph export mybarS.png, width(1000) replace



Figure 14: Bar Graph Of Mean Tree Height By Location With s1color Graph Scheme

graph bar height, over(location) asyvars title("Tree Height by Location")
scheme(burd) graphregion(lcolor(none))

graph export mybarB.png, width(1000) replace



Figure 15: Bar Graph Of Mean Tree Height By Location With burd Graph Scheme