

# Some Stuff About Logarithms

Andy Grogan-Kaylor

2023-11-26

## Table of contents

<b>1 Introduction (The Exponential Function)</b>	<b>1</b>
<b>2 A Definition of the Logarithm</b>	<b>2</b>
<b>3 A Definition of the Natural Logarithm</b>	<b>2</b>
<b>4 Exponential Regression</b>	<b>4</b>
<b>5 Logistic Regression</b>	<b>4</b>
<b>6 Logarithmic Spiral</b>	<b>5</b>

## 1 Introduction (The Exponential Function)

We begin with the exponential function:

$$y = \text{base}^{\text{exponent}}$$

The *exponent* tells us how many times to multiply the base by itself to get the result.

For example:  $2^3 = 8$  because  $2 \times 2 \times 2 = 8$

```
twoway function y = 2^x, lwidth(thick) ///
title("Exponential Function") subtitle("With Base 2") ///
range(-10 10)

graph export exponential0.png, replace
```




Figure 1: Graph of exponential function with base 2

## 2 A Definition of the Logarithm

We then consider the logarithm.

If

$$y = b^x$$

then

$$\log_b(y) = x$$

.

In words: If number = base<sup>exponent</sup> then  $\log_{\text{base}}(\text{number}) = \text{exponent}$ .

For example,  $2^3 = 8$ , therefore  $\log_2 8 = 3$ .

The logarithm answers the question: *What is the power to which we have to raise the number to get the result?*

The logarithm may also be thought of as *the inverse of the exponential function*.

```

tway function y = ln(x)/ln(2), lwidth(thick) ///
title("Logarithmic Function") subtitle("Base 2") ///
range(-10 10)

graph export logarithmic0.png, replace

```

## 3 A Definition of the Natural Logarithm

For deep mathematical reasons, it is often useful to use logarithms with base  $e$  which is often termed the *natural logarithm*, written  $\ln$




Figure 2: Graph of logarithmic function with base 2

$e$  is a kind of fundamental mathematical constant, like  $\pi$ , but without the easy geometric definition that  $\pi$  has. (For any  $\bigcirc$ ,  $\pi = \frac{\text{circumference}}{\text{diameter}}$ .)

$e$  is approximately equal to 2.71828....

If

$$y = e^x$$

then

$$\ln(y) = x$$

.

```
twoway function y = exp(x), lwidth(thick) ///
title("Exponential Function") subtitle("Base e") ///
range(-10 10)
```

```
graph export exponential.png, replace
```




Figure 3: Graph of exponential function with base e

```

twayway function y = ln(x), lwidth(thick) ///
title("Logarithmic Function") subtitle("Base e") ///
range(-10 10)

graph export logarithmic.png, replace

```




Figure 4: Graph of logarithmic function with base e

## 4 Exponential Regression

In categorical data analysis—especially later in the course—we are often thinking about some equation like  $\ln(y) = \beta x$ . This is equivalent to  $y = e^{\beta x}$  so many models—particularly later in the course—will have us thinking about *exponential* relationships.

## 5 Logistic Regression

Early on in this course, we will think about logistic regression. In logistic regression, we start by thinking about the on the *odds* of our outcome:

$$\frac{p(y)}{1 - p(y)}$$

We will be working with the *log odds*:

$$\ln\left(\frac{p(y)}{1 - p(y)}\right) = x$$

To *graph* these *log odds*, we need to solve for  $p(y)$ :

$$p(y) = \frac{e^x}{1 + e^x}$$

```
twoway function y = exp(x)/(1 + exp(x)), lwidth(thick) ///  
title("Logistic Function") ///  
range(-10 10)  
  
graph export logistic.png, replace
```




Figure 5: Logistic curve

## 6 Logarithmic Spiral

An interesting sidenote is that the logarithm forms the basis of the logarithmic spiral. The equation for a logarithmic spiral in polar coordinates is:  $r = ae^{b\theta}$ , where  $\theta$  is the angle,  $r$  is the radius, and  $a$  and  $b$  are constants.




Figure 6: Desmos Graph Logarithmic Spiral

Logarithmic spirals can be found in nature in the *nautilus shell*, and in *sunflowers*.



Figure 7: Nautilus Shell, Courtesy Wikipedia



Figure 8: Sunflower, Courtesy Wikipedia