Interactions in Logistic Regression

Andy Grogan-Kaylor

2024-04-25

Table of contents

| 1 | Background | 1 |
|---|------------------------------------|---|
| 2 | Get The Data | 3 |
| 3 | Describe The Data | 3 |
| 4 | Estimate Logistic Regression | 4 |
| 5 | Margins | 5 |
| 6 | Plotting Margins | 6 |
| 7 | Rerun margins, posting Results | 7 |
| 8 | margins with coeflegend | 8 |
| 9 | Testing Margins Against Each Other | 9 |

1 Background

The purpose of this tutorial is to illustrate the idea that in *logistic regression*, the β parameter for an interaction term may not accurately characterize the underlying interactive relationships.

This idea may be easier to describe if we recall the formula for a logistic regression:

$$\ln\left(\frac{P(y)}{1 - P(y)}\right) = \beta_0 + \beta_1 x_1 + \beta_2 x_2 + \beta_3 x_1 \times x_2 \tag{1}$$

⚠ Warning

In the above formula, the sign, and statistical significance, of β_3 may not accurately characterize the underlying relationship.




Figure 1: Demonstration of Interactive Relationships

? Key Idea

In a linear model, a single parameter can capture the difference in slopes between the two groups. In a non-linear model, no single parameter can capture the difference in slopes between the two groups.

Some Calculus (Not Essential To The Discussion)

Imagine a linear model:

$$y = \beta_0 + \beta_1 x_1 + \beta_2 x_2 + \beta_3 x_1 \times x_2 + e_i$$

Here (following (Ai and Norton 2003)):

$$\frac{\partial y}{\partial x_1 \partial x_2} = \beta_3$$

We use logit to describe:

$$\ln\left(\frac{P(y)}{1 - P(y)}\right)$$

In the logistic model, the quantity:

$$\frac{\partial \text{logit}(y)}{\partial x_1 \partial x_2}$$

does not have such a straightforward solution, and–importantly for this discussion–is not simply equal to β_3 .

2 Get The Data

We start by obtaining *simulated data* from StataCorp.

```
clear all
graph close _all
use http://www.stata-press.com/data/r15/margex, clear
```

(Artificial data for margins)

byte

%6.0f

3 Describe The Data

The variables are as follows:

```
describe
```

sex

Running C:\Users\agrogan\Desktop\GitHub\newstuff\categorical\logistic-interacti > ons-2\profile.do .

Contains data from http://www.stata-press.com/data/r15/margex.dta

Observations: 3,000 Artificial data for margins

Variables: 11 27 Nov 2016 14:27

Variable Storage Display Value
name type format label Variable label

y float %6.1f
outcome byte %2.0f

sexlbl

| group | byte | %2.0f | |
|-----------|-------|-------|--------|
| age | float | %3.0f | |
| distance | float | %6.2f | |
| ycn | float | %6.1f | |
| ус | float | %6.1f | |
| treatment | byte | %2.0f | |
| agegroup | byte | %8.0g | agelab |
| arm | byte | %8.0g | |
| | | | |

Sorted by: group

sex |

4 Estimate Logistic Regression

We then run a logistic regression model in which outcome is the dependent variable. sex, age and group are the independent variables. We estimate an interaction of sex and age.

We note that the regression coefficient for the interaction term is not statistically significant.

```
logit outcome sex##c.age i.group
```

Running C:\Users\agrogan\Desktop\GitHub\newstuff\categorical\logistic-interacti > ons-2\profile.do .

```
Iteration 0: Log likelihood = -1366.0718
Iteration 1: Log likelihood = -1118.129
Iteration 2: Log likelihood = -1070.8227
Iteration 3: Log likelihood = -1068.0102
Iteration 4: Log likelihood = -1067.99
Iteration 5: Log likelihood =
                           -1067.99
Logistic regression
                                              Number of obs = 3,000
                                              LR chi2(5) = 596.16
                                              Prob > chi2 = 0.0000
Log likelihood = -1067.99
                                              Pseudo R2
                                                         = 0.2182
    outcome | Coefficient Std. err. z
                                       P>|z|
                                                [95% conf. interval]
______
```

| female | | .5565025 | .6488407 | 0.86 | 0.391 | 7152019 | 1.828207 |
|-----------|---|-----------|----------|--------|-------|-----------|-----------|
| age | | .0910807 | .0113215 | 8.04 | 0.000 | .0688909 | .1132704 |
| sex#c.age | i | | | | | | |
| female | - | 001211 | .0134012 | -0.09 | 0.928 | 0274769 | .025055 |
| | | | | | | | |
| group | | | | | | | |
| 2 | | 5854237 | .1349791 | -4.34 | 0.000 | 8499779 | 3208696 |
| 3 | | -1.355227 | .2965301 | -4.57 | 0.000 | -1.936416 | 7740391 |
| | | | | | | | |
| _cons | | -5.592272 | .5583131 | -10.02 | 0.000 | -6.686545 | -4.497998 |

5 Margins

We use the margins command to estimate predicted probabilities at different values of sex and age.

```
margins sex, at(age = (20 30 40 50 60))
```

Running C:\Users\agrogan\Desktop\GitHub\newstuff\categorical\logistic-interacti > ons-2\profile.do .

Predictive margins Model VCE: OIM

Number of obs = 3,000

Expression: Pr(outcome), predict()

1._at: age = 20 2._at: age = 30 3._at: age = 40 4._at: age = 50 5._at: age = 60

| | | _ | Delta-method std. err. | z | P> z | [95% conf. | interval] |
|----------|----------------|----------|---------------------------|------|-------|------------|-----------|
| _at#sex | | | | | | | |
| 1#male | | .0150645 | .0047348 | 3.18 | 0.001 | .0057846 | .0243445 |
| 1#female | | .025333 | .0055508 | 4.56 | 0.000 | .0144536 | .0362124 |

| 2#male | - | .0364848 | .0075444 | 4.84 | 0.000 | .0216981 | .0512714 |
|----------|---|-----------|----------|-------|-------|----------|----------|
| 2#female | | .0596255 | .0086074 | 6.93 | 0.000 | .0427552 | .0764958 |
| 3#male | | .0852689 | .0099016 | 8.61 | 0.000 | .0658622 | .1046757 |
| 3#female | - | .1329912 | .0108127 | 12.30 | 0.000 | .1117987 | .1541838 |
| 4#male | | . 1849367 | .0163684 | 11.30 | 0.000 | .1528551 | .2170182 |
| 4#female | | .267774 | .0156218 | 17.14 | 0.000 | .2371558 | .2983921 |
| 5#male | | .3518378 | .0408522 | 8.61 | 0.000 | .271769 | .4319066 |
| 5#female | | .4614446 | .0314754 | 14.66 | 0.000 | .3997539 | .5231353 |
| | | | | | | | |

6 Plotting Margins

margins provides a lot of results, which can be difficult to understand. Therefore, we use marginsplot to plot these margins results.

There certainly seems to be some kind of interaction of sex and age.

```
marginsplot
graph export mymarginsplot.png, width(1000) replace
```

Running C:\Users\agrogan\Desktop\GitHub\newstuff\categorical\logistic-interacti > ons-2\profile.do .

Variables that uniquely identify margins: age sex

file mymarginsplot.png saved as PNG format




Figure 2: Margins Plot

7 Rerun margins, posting Results

We again employ the margins command, this time using the post option so that the results of the margins command are *posted* as an estimation result. This will allow us to employ the test command to statistically test different margins against each other.

```
margins sex, at(age = (20 30 40 50 60)) post
```

Running C:\Users\agrogan\Desktop\GitHub\newstuff\categorical\logistic-interacti > ons-2\profile.do .

```
Predictive margins

Model VCE: OIM

Expression: Pr(outcome), predict()

1._at: age = 20

2._at: age = 30

3._at: age = 40

4._at: age = 50

5._at: age = 60
```

Delta-method

| | | Margin | std. err. | z | P> z | [95% conf. | interval] |
|----------|----------|----------|-----------|-------|-------|------------|-----------|
| _at#sex | -+-· | | | | | | |
| 1#male | | .0150645 | .0047348 | 3.18 | 0.001 | .0057846 | .0243445 |
| 1#female | | .025333 | .0055508 | 4.56 | 0.000 | .0144536 | .0362124 |
| 2#male | | .0364848 | .0075444 | 4.84 | 0.000 | .0216981 | .0512714 |
| 2#female | | .0596255 | .0086074 | 6.93 | 0.000 | .0427552 | .0764958 |
| 3#male | | .0852689 | .0099016 | 8.61 | 0.000 | .0658622 | .1046757 |
| 3#female | | .1329912 | .0108127 | 12.30 | 0.000 | .1117987 | .1541838 |
| 4#male | | .1849367 | .0163684 | 11.30 | 0.000 | .1528551 | .2170182 |
| 4#female | | . 267774 | .0156218 | 17.14 | 0.000 | .2371558 | .2983921 |
| 5#male | | .3518378 | .0408522 | 8.61 | 0.000 | .271769 | .4319066 |
| 5#female | | .4614446 | .0314754 | 14.66 | 0.000 | .3997539 | .5231353 |

8 margins with coeflegend

We follow up by using the margins command with the coeflegend option to see the way in which Stata has labeled the different margins.

```
margins, coeflegend
```

Running C:\Users\agrogan\Desktop\GitHub\newstuff\categorical\logistic-interacti > ons-2\profile.do .

```
Predictive margins
                                            Number of obs = 3,000
Model VCE: OIM
Expression: Pr(outcome), predict()
1._at: age = 20
2._{at}: age = 30
3._at: age = 40
4._at: age = 50
5._at: age = 60
              Margin Legend
_______
    _at#sex |
    1#male | .0150645 _b[1bn._at#0bn.sex]
```

```
1#female
               .025333 _b[1bn._at#1.sex]
              .0364848 _b[2._at#0bn.sex]
  2#male
2#female
              .0596255
                       _b[2._at#1.sex]
  3#male
                       _b[3._at#0bn.sex]
              .0852689
                       b[3. at#1.sex]
3#female
              .1329912
  4#male
              .1849367
                       _b[4._at#0bn.sex]
4#female
               .267774 b[4. at#1.sex]
  5#male |
              .3518378
                        _b[5._at#0bn.sex]
              .4614446 _b[5._at#1.sex]
5#female |
```

9 Testing Margins Against Each Other

Lastly, we test the margins at age 20 for men and women, and again at ages 50 and 60 for men and women.

We note that the original regression parameter for the interaction term was not statistically significant. Indeed, the margins at age 20 are not statistically significantly different by sex. However, at ages 50 & 60, there is a statistically significant difference by sex.

```
test _b[1bn._at#0bn.sex] = _b[1bn._at#1.sex] // male and female at age 20
test _b[4._at#0bn.sex] = _b[4._at#1.sex] // male and female at age 50
test _b[5._at#0bn.sex] = _b[5._at#1.sex] // male and female at age 60
```

Running C:\Users\agrogan\Desktop\GitHub\newstuff\categorical\logistic-interacti > ons-2\profile.do .

There is some suggestion that the difference of the differences is statistically significant. This statistical significance is only marginal [pun intended] at age 60, but truly statistically significant at age 50.

```
test _b[1bn._at#1.sex] - _b[1bn._at#0bn.sex] = _b[5._at#1.sex] - _b[5._at#0bn.sex] // test entert _b[1bn._at#1.sex] - _b[1bn._at#0bn.sex] = _b[4._at#1.sex] - _b[4._at#0bn.sex] // test entert _b[1bn._at#1.sex] - _b[1bn._at#0bn.sex] // test entert _b[1bn._at
```

Running C:\Users\agrogan\Desktop\GitHub\newstuff\categorical\logistic-interacti > ons-2\profile.do .

Ai, Chunrong, and Edward C. Norton. 2003. "Interaction Terms in Logit and Probit Models." Economics Letters. https://doi.org/10.1016/S0165-1765(03)00032-6.

Karaca-Mandic, Pinar, Edward C. Norton, and Bryan Dowd. 2012. "Interaction Terms in Nonlinear Models." *Health Services Research*. https://doi.org/10.1111/j.1475-6773.2011. 01314.x.