

Survival Analysis and Event History

Andy Grogan-Kaylor

18 Jun 2021

Introduction

“Survival analysis is a key technique in data-driven decision-making, which is now central to public interest because of COVID-19. Applying the correct technique for the specific question at hand is crucial for credible public health inferences. If you are interested in assessing how a risk factor or a potential treatment affects the progression of a disease—such as how long a patient takes to recover—then survival analysis techniques come into play. Survival analysis deeply respects the ultimate source of its data, often the disease experience or even the life and death of human patients. It seeks to exploit every last drop of information that this experience can render for saving lives—in particular, not only whether patients survived, but how long, and why. And it strives to do so with minimal assumptions, so that the data are truly driving the decision.”

—SAS Corporation

Key Concepts

WHO CARES how we measure time? Isn't it self-evident?

- Implementations differ; formulas are our friends
- $h(t) = x_1 + x_2 + \text{etc....}$: formula (effect on hazard (instantaneous rate of occurrence))

The “Hospital Bed Problem”

- Imagine a *Hypothetical Hospital*
- Imagine that there are 52 patients *total*.
- 51 of the patients are *long term patients*, who each stay for *1 year*.
- 1 of the patients is a *short term patient*, who stays for *1 week*.

Is this a hospital that serves mostly long-term, or short term patients?

```
. clear all

. set obs 52 // 52 hypothetical observations
Number of observations (_N) was 0, now 52.
```

```

. generate id = _n // set id = to observation #

. generate weeks = 52

. replace weeks = 1 if id == 52
(1 real change made)

. twoway (scatter id weeks if weeks == 52, msize(small)) /// staying 52 weeks
> (scatter id weeks if weeks == 1, msize(small)), /// staying 1 week
> title("Hypothetical Hospital") ///
> legend(on order(1 "long term" 2 "short term")) ///
> xlabel("week of discharge") ///
> ylabel(1(1)52, labels labsize(tiny) angle(horizontal) noticks nogrid) ///
> scheme(michigan)

. graph export hospital_bed_problem.png, width(1000) replace
file
  /Users/agrogan/Desktop/newstuff/categorical/survival-analysis-and-event-history/hospital_bed_p
  > roblem.png saved as PNG format

```




Figure 1: Illustration of Hospital Bed Problem

How To Measure Length of Stay (1)

```

. clear all

. set obs 25 // 25 hypothetical observations
Number of observations (_N) was 0, now 25.

. generate id = _n // set id = to observation #

. generate time = runiform(1, 100) // random times

. generate censored = time > 75 // censored if time > 75

. twoway (scatter id time if censored == 0) ///
> (scatter id time if censored == 1), ///
> title("Hypothetical Timing of Events") ///
> subtitle("Think About Different Kinds of Events") ///
> note("Study Ends At Time 75") ///
> legend(on order(1 "not censored" 2 "censored")) ///
> xline(75, lcolor("red")) /// censoring line at 75
> ylabel(1(1)25, labsize(vsmall) angle(horizontal)) /// lines from 1 to 25
> scheme(michigan)

. graph export timing_of_events.png, width(1000) replace

```

```
file
/Users/agrogan/Desktop/newstuff/categorical/survival-analysis-and-event-history/timing_of_event
> ts.png saved as PNG format
```




Figure 2: Timing Of Events

Animated

See [times-events-and-censoring.html](#)

How To Measure Length of Stay (2)

Event happened within a specified time (yes/no)

$$\ln\left(\frac{P(\text{event})}{1 - P(\text{event})}\right) = \beta_0 + \beta_1 x_1 + \beta_2 x_2 + e_i$$

- Statistically accurate, but we lose information on *when* the event happened.
- Statistically *less efficient*.

Time until Event

$$\text{time until event} = \beta_0 + \beta_1 x_1 + \beta_2 x_2 + e_i$$

- What to do with events that haven't happened yet? (Censoring)
- Code as `missing`. Loss of information if using complete cases. Possible bias.
- Code as 0. Possible bias. They might happen at some point.
- Code as `time of censoring`. Possible bias. They might never happen. They might happen much later.

Hazard (Risk) of Event Occurrence

A more heuristic definition:

$$h(t) = \lim_{\delta \rightarrow 0} \frac{\text{probability of having an event before time } t + \delta}{\delta}$$

This definition per Johnson & Shih (2007)

A more formal definition:

$$h(t) = \lim_{\Delta t \rightarrow 0} \frac{P(t \leq T < t + \Delta t | T > t)}{\Delta t}$$

This definition per Ragnar Frisch Centre for Economic Research (2020)

A Policy Example (Welfare Reform, 1996)

From LaDonna Pavetti (1995)

- time in months
- new entrants (percent)
- all current recipients at a point in time (percent)

```
. clear all

. use Pavetti.dta
(Written by R.          )

. list, abbreviate(25) // list out the data
```

	time	new_entrants	all_current_recipients
1.	1-12	27.4	4.5
2.	13-24	14.8	4.8
3.	25-36	10	4.9
4.	37-48	7.7	5
5.	49-60	5.5	4.5
6.	Over 60	34.6	76.3

```
. graph bar (asis) all_current_recipients, /// this particular set of options was difficult to figure
> e out!
> asyvars ///
> over(time) ///
> title("All Current Recipients") ///
> sub("By Months On Caseload") ///
> ytitle("percent") ///
> scheme(michigan)

. graph export all_current_recipients.png, width(1000) replace
file
/Users/agrogan/Desktop/newstuff/categorical/survival-analysis-and-event-history/all_current_re
> cipients.png saved as PNG format
```

Welfare Reform (2)

```
. graph bar (asis) new_entrants, ///
> asyvars ///
> over(time) ///
> title("New Recipients") ///
> sub("By Months On Caseload") ///
> ytitle("percent") ///
> scheme(michigan)

. graph export new_recipients.png, width(1000) replace
file
/Users/agrogan/Desktop/newstuff/categorical/survival-analysis-and-event-history/new_recipients
> .png saved as PNG format
```




Figure 3: All Current Recipients by Months on Caseload




Figure 4: New Recipients by Months on Caseload

Musicians and Mortality (1)




Figure 5: Music To Die For

Musicians and Mortality (2)

References

Johnson, L. L., & Shih, J. H. (2007). CHAPTER 20 - An Introduction to Survival Analysis (J. I. Gallin & F. P. Ognibene, eds.). <https://doi.org/https://doi.org/10.1016/B978-012369440-9/50024-4>

Ragnar Frisch Centre for Economic Research (2020). Event History Analysis, Survival Analysis, Duration Analysis ,Transition Data Analysis, Hazard Rate Analysis. Oslo, Norway.




Figure 6: Musician Mortality